What Is Claimed Is:



1 2

2

3

- 1. An isolated nucleic acid molecule encoding a Plasmodium sp. chitinase.
- 1 2. The isolated nucleic acid molecule of claim 1 wherein said nucleic acid is deoxyribonucleic acid.
- 1 3. The isolated nucleic acid molecule of claim 2 wherein said deoxyribonucleic acid is cDNA.
 - 4. The isolated nucleic acid molecule of claim 1 wherein said nucleic acid molecule has a nucleotide sequence as shown in SEQ ID NO:1 or SEQ ID NO:2.
 - 5. The isolated nucleic acid molecule of claim 1 wherein said nucleic acid molecule encodes an amino acid sequence as shown in SEQ ID NO.3 or SEQ ID NO:4.
- 1 6. The isolated nucleic acid molecule of claim 1 wherein said nucleic acid is ribonucleic acid.
- 7. The isolated nucleic acid molecule of claim 6 wherein said ribonucleic acid is mRNA.
- 1 8. An oligonucleotide complementary to at least a portion of the mRNA of claim 7.
- 9. A cell comprising the oligonucleotide of claim 8.
- 1 10. An expression vector comprising the oligonucleotide of claim 8.

- 1 11. The expression vector of claim 10 wherein the
- 2 expression vector is selected from the group consisting
- 3 of a plasmid and a virus.
- 1 12. A cell comprising the expression vector of
- 2 claim 10.
- 1 13. A method of decreasing expression of a
- 2 Plasmodium sp. chitinase in a host cell, said method
- 3 comprising introducing the oligonucleotide of claim 8
- 4 into the cell, wherein said oligonucleotide blocks
- 5 translation of said mRNA so as to decrease expression of
- 6 said Plasmodium sp. chitinase in said host cell.
- 1 14. A cell comprising the nucleic acid molecule of
- 2 claim 1.
- 1 15. An expression vector comprising the nucleic
- 2 acid molecule of claim 1.
- 1 16. The expression vector of claim 15 wherein said
- 2 expression vector is selected from the group consisting
- 3 of a plasmid and a virus.
- 1 17. A cell comprising the expression vector of
- 2 claim 15.
- 1 18. A method of increasing expression of Plasmodium
- 2 sp. chitinase in a host cell, said method comprising:
- 3 introducing the nucleic acid molecule of claim 1
- 4 into the cell; and
- 5 allowing said cell to express said nucleic acid
- 6 molecule resulting in the production of Plasmodium sp.
- 7 chitinase in said cell.

- 1 19. A method of screening a substance for the
- 2 ability of the substance to modify Plasmodium sp.
- 3 chitinase function, said method comprising:
- 4 introducing the nucleic acid molecule of claim 1
- 5 into a host cell;
- 6 expressing said Plasmodium sp. chitinase encoded by
- 7 said nucleic acid molecule in the host cell;
- 8 exposing the cell to a substance; and
- 9 evaluating the exposed cell to determine if the
- 10 substance modifies the function of the Plasmodium sp.
- 11 chitinase.
- 1 20. The method of claim 19 wherein said evaluation
- 2 comprises monitoring the expression of Plasmodium sp.
- 3 chitinase.
- 1 21. A method of obtaining DNA encoding a Plasmodium
- 2 sp. chitinase, said method comprising:
- 3 selecting a DNA molecule encoding a Plasmodium sp.
- 4 chitinase, said DNA molecule having a nucleotide sequence
- 5 as shown in SEQ ID NO:1 or SEQ ID NO:2;
- 6 designing an oligonucleotide probe for a Plasmodium
- 7 sp. chitinase based on the nucleotide sequence of the
- 8 selected DNA molecule;
- 9 probing a genomic or cDNA library of an organism
- 10 with the oligonucleotide probe; and
- obtaining clones from said library that are
- 12 recognized by said oligonucleotide probe, so as to obtain
- 13 DNA encoding a Plasmodium sp. chitinase.
 - 1 22. A method of obtaining DNA encoding a Plasmodium
 - 2 sp. chitinase, said method comprising:

selecting a DNA molecule encoding a Plasmodium sp.

chitinase, said DNA molecule having a nucleotide sequence

5 as shown in SEQ ID NO:1 of SEQ ID NO:2;

6 designing degenerate oligonucleotide primers based

on the nucleotide sequence of the selected DNA molecule;

8 and

1

2

9 utilizing said oligonucleotide primers in a

10 polymerase chain reaction on a DNA sample to identify

11 homologous DNA encoding a Plasmodium sp. chitinase in

12 said sample.

23. An isolated nucleic acid molecule encoding a Plasmodium sp. chitinase, said nucleic acid molecule encoding a first amino acid sequence having at least 90% amino acid identity to a second amino acid sequence, said second amino acid sequence as shown in SEQ ID NO:3 or SEQ ID NO:4.

- 1 24. A DNA oligomer capable of hybridizing to the 2 nucleic acid molecule of claim 1.
- 25. A method of detecting presence of a Plasmodium 2 sp. chitinase in a sample, said method comprising:
- 3 contacting a sample with the DNA oligomer of claim
- 4 24, wherein said DNA oligomer hybridizes to any of said
- 5 Plasmodium sp. chitinase present in said sample, forming
- 6 a complex therewith; and
- detecting said complex, thereby detecting presence
- 8 of a Plasmodium sp. chitinase in said sample.
- 1 26. The method of claim 25 wherein said DNA
- 2 oligomer is labeled with a detectable marker.
- 1 27. An isolated Plasmodium sp. chitinase.

- 1 28. The Plasmodium sp. chitinase of claim 27
- 2 wherein said Plasmodium sp. chitinase is encoded by a
- 3 nucleotide sequence as shown in SEQ ID NO:1 or SEQ ID
- 4 NO:2.
- 1 29. The Plasmodium sp. chitinase of claim 27
- 2 wherein said Plasmodium sp. chitinase is encoded by an
- 3 amino acid sequence as shown in SEQ ID NO:3 or SEQ ID
- 4 NO:4.
- 1 30. An isolated Plasmodium sp. chitinase encoded by
- 2 a first amino acid sequence having at least 90% amino
- 3 acid identity to a second amino acid sequence, said
- 4 second amino acid sequence as shown in SEQ ID NO:3 or SEQ
- 5 ID NO:4.
- 1 31. An antibody or fragment thereof specific for
- 2 the Plasmodium sp. chitinase of claim 30.
- 1 32. The antibody of claim 31 wherein said antibody
- 2 comprises a monoclonal antibody.
- 1 33. The antibody of claim 31 wherein said antibody
- 2 comprises a polyclonal antibody.
- 1 34. A method of detecting presence of a Plasmodium
- 2 sp. chitinase in a sample, said method comprising:
- 3 contacting a sample with the antibody or fragment
- 4 thereof of claim 31, wherein said antibody or fragment
- 5 thereof binds to any of said Plasmodium sp. chitinase
- 6 present in said sample, forming a complex therewith; and
- detecting said complex, thereby detecting presence
- 8 of a Plasmodium sp. chitinase in said sample.

- 1 35. The method of claim 34 wherein said antibody or
- 2 fragment thereof is labeled with a detectable marker.
- 1 36. A method of producing an antibody specific for
- 2 a Plasmodium sp. chitinase in a host, the method
- 3 comprising:
- 4 selecting the isolated Plasmodium sp. chitinase of
- 5 claim 27 or an antigenic portion thereof; and
- 6 introducing the selected Plasmodium sp. chitinase or
- 7 antigenic portion thereof into a host to induce
- 8 production of an antibody specific for Plasmodium sp.
- 9 chitinase in the host.
- 1 37. A composition comprising the Plasmodium sp.
- 2 chitinase of claim 27 or an antigenic portion thereof and
- 3 a compatible carrier.
- 1 38. A method of preventing transmission of malaria
- 2 by a mosquito feeding on a subject that may harbor
- 3 Plasmodium sp. organisms, the method comprising
- 4 administering to the subject an amount of the composition
- 5 of claim 37 effective to induce production of an antibody
- 6 specific for Plasmodium sp. chitinase in the subject,
- 7 wherein the antibody inhibits Plasmodium sp. chitinase
- 8 and is transferred to a mosquito feeding on the subject
- 9 thereby preventing infection of the mosquito by
- 10 Plasmodium sp. organisms that may be harbored in the
- 11 subject.
 - 1 39. A method of screening a substance for the
 - 2 ability of the substance to modify Plasmodium sp.
 - 3 chitinase function, the method comprising:

- 4 exposing the isolated Plasmodium sp. chitinase of
- 5 claim 27 to a substance; and
- 6 evaluating the exposed chitinase to determine if the
- 7 substance modifies the function of the Plasmodium sp.
- 8 chitinase.
- 1 40. A method of preventing infection of mosquitoes
- 2 by Plasmodium sp., the method comprising exposing the
- 3 Plasmodium sp. to an amount of a compound effective to
- 4 interfere with function of Plasmodium sp. chitinase,
- 5 thereby preventing infection of the mosquitoes by the
- 6 Plasmodium sp.
- 1 41. The method of claim 40 wherein the compound
- 2 interferes with function of Plasmodium sp. chitinase by
- 3 reducing Plasmodium sp. chitinase gene expression.
- 1 42. The method of claim 41 wherein the compound is
- 2 an oligonucleotide targeted to the Plasmodium sp.
- 3 chitinase gene.
- 1 43. The method of claim 40 wherein the compound
- 2 interferes with function of the Plasmodium sp. chitinase
- 3 by inhibiting the function of Plasmodium sp. chitinase.
- 1 44. A method of preventing transmission of malaria
- 2 by a mosquito feeding on a subject that may harbor
- 3 Plasmodium sp. organisms, the method comprising
- 4 administering to the subject an amount of a compound
- 5 effective to interfere with function of Plasmodium sp.
- 6 chitinase in the subject, wherein the compound is
- 7 transferred to a mosquito feeding on the subject thereby
- 8 preventing infection of the mosquito by Plasmodium sp.
- 9 organisms that may be harbored in the subject.

45. A method of preventing transmission of malaria by a mosquito that ingests Plasmodium sp. organisms, the method comprising introducing into the mosquito an amount of a compound effective to interfere with function of Plasmodium sp. chitinase thereby preventing infection of the mosquito by ingested Plasmodium sp. organisms.

odd in